


BORG 36ED TELE LENS SET II [6238] Assembly Diagram

How to assemble <1> Connect each part as shown in the diagram below. <u>* When connecting, please also refer to the instruction manual that comes with each part.</u> <2> Refer to the reverse side of this paper to connect the camera. * Other parts, such as a camera mount (sold separately), are required when connecting to a camera. **How to use** <1> Loosen the locking screw on the Lens barrel DX-SD [6011] and extend or **Accessories in this set** (Accessories in this set) (1) [2037] BORG 36ED Objective lens (BK) (2) [7524] Adapter M42P1-M57/60AD (3) [7761] M57 Helicoid DX II (4) [6011] Lens barrel DX-SD (5) [7000] Camera mount holder M


- retract the Draw Tube to adjust the focus.
- $<\!\!2\!\!>$ To fine-tune the focus, rotate the M57 Helicoid DX II [7761] to achieve full focus.






How to connect the tele lens set, telescope set to cameras

Please refer to the following diagrams and make use of the necessary parts when connecting to the various models of camera.





Mirrorless

PENTAX Q

camera body

- + SLR camera body
- 2 When connecting a mirrorless camera body:
- [7921] M49.8 Extension tube S
- + [7922] M49.8 Extension tube M
- + [5011 to 5013] or [5015 to 5017] Camera mount
- + Mirrorless camera body

③ When connecting to a Four Thirds camera body:

- [7921] M49.8 Extension tube S
- + [5010] Camera mount for Four Thirds
- + Four Thirds camera body

(4) When connecting to a PENTAX Q camera body:

- [7879] 60mm Spacer 2mm
- + [7921] M49.8 Extension tube S x2
- + [7922] M49.8 Extension tube M
- + [5014] Camera mount for PENTAX Q
- + PENTAX Q camera body

TOMYTEC CO., LTD.

T2017-4A

3-19-3 Tateishi Katsushika-ku Tokyo 124-0012 Japan https://www.tomytec.co.jp/borg